SHOES FOR CREWS®

THE SHOE THAT GRIPS®

ATHLETIC

BEST SELLER!
CONDOR
SEE PAGE 5, 19

CASUAL

BEST SELLER!
OLD SCHOOL IV
SEE PAGE 8, 22

DRESS

BEST SELLER!
CAMBRIDGE
SEE PAGE 26

SAFETY

BEST SELLER!
CLYDE
SEE PAGE 29

THE ORIGINAL SLIP-RESISTANT FOOTWEAR SINCE 1984

EN ND 2020

SHOES FOR CREWS®

THE SHOE THAT GRIPS®

SRC TEST RESULTS



Slip Resistance Test EN ISO 13287:2012, performed by TUV Rheinland LGA Products GmbH in Leipzig, Germany during January 2017 * On a scale where 0.0 is the absence of friction and 1.0 is very high friction (e.g. dry carpet), SFC rated .63 – more than tripling the .18 minimum standard. All SFC shoes use the Shoes For Crews patented slip-resistant outsole. Product tested: Bridgetown 28740.

SFC TECHNOLOGY

FEATURE
SpillGuard

BENEFIT
Protective membrane lining protects forefoot against hot liquid spills

FEATURE
Water Resistant uppers

BENEFIT
Keeping feet dry and comfortable

FEATURE
Removable insoles

BENEFIT
Enhanced comfort when you are on your feet for hours

FEATURE
Moisture absorbing lining

BENEFIT
Keeps feet dry

FEATURE
Cushioned midsole

BENEFIT
Added comfort

FEATURE
TripGuard

BENEFIT
Smoother transitions between floor surfaces

FEATURE
Clog resistant & flexible outsoles

BENEFIT
Limits amount of debris that sticks to outsole and bends with your natural foot movement

FEATURE
SUPERIOR SFC SLIP RESISTANT OUTSOLE

BENEFIT
Safer steps in slippery environments - featured on all SFC styles

THE ORIGINAL SLIP-RESISTANT FOOTWEAR SINCE 1984

SHOES FOR CREWS

CONTENTS

WOMEN'S

Athletic	4
Casual	7
Dress	12
Safety	15

ACCESSORIES

Mats	16
Crewguards	16
Insoles	17
Socks	17

MEN'S

Athletic	18
Casual	21
Dress	25
Safety	28

We're on Trustpilot
Share your experience

Rated Excellent
Trustpilot

ALL-DAY COMFORT

"Comfortable, stylish, great grip and hard wearing" By Miss Evans

Trustpilot

THE NUMBER 1 CHOICE FOR WAITRESSES #1 CHOICE

Liberty

280 grams [based on size 38]

37255 Black 2.5-9 (35-43)
35353 Black/White 2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Revolution II

320 grams [based on size 38]

29167 Black 2.5-8 (35-42)
28093 White 2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Extra cushioning
- Regular fit

ADDITIONAL IMAGES

SLIP-RESISTANT | TRIPGUARD | WATER RESISTANT | SPILL GUARD | OB SRC OB CERTIFIED

Spirit II

EN ISO 20347:2012 (OB E SRC) • 315 grams [based on size 38]

30531 Black 2.5-9 (35-43)

- Superior SFC slip-resistant outsole with TripGuard
- Microfibre upper
- Water resistant
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Condor

EN ISO 20347:2012 (OB E SRC) • 390 grams [based on size 38]

26730 Black 2.5-9 (35-43)
27041 White 3-8 (36-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

LIGHTWEIGHT

“ Very good and very comfortable. No laces, so slip on and off comfortably and don’t have to deal with greasy laces. Pictures don’t do them justice. They look trainer like in the photos but are actually quite smart.” By Smith

Trustpilot

★★★★★

Lila

Karina

215 grams [based on size 38]

36907 Black 2.5-9 (35-43)
32709 White 2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Lightweight
- Regular fit

ADDITIONAL IMAGES

Vitality II

220 grams [based on size 38]

28362 Black 2.5-8 (35-42)
24759 Blue/Grey 2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight
- Regular fit

ADDITIONAL IMAGES

SLIP-RESISTANT TRIPGUARD WATER RESISTANT SPILL GUARD OB SRC OB CERTIFIED

ALL EVA CLOGS ARE NOW CE CERTIFIED

Zinc

EN ISO 20347:2012 (OB E SRC) • 270 grams [based on size 42]

66064 Black 3-14 (37-48)
62138 White 3-13 (37-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Wide fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Radium

EN ISO 20347:2012 (OB E SRC) • 250 grams [based on size 42]

69578 Black 3-13 (37-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Removable cushioned insole
- Wide fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CASUAL KICKS

Delray

430 grams [based on size 42]

38649 Black
2.5-12 (35-47)

- Superior SFC slip-resistant outsole
- Water-resistant Leather
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Old School Low-Rider IV

355 grams [based on size 42]

38960 White
3-12 (36-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable insole
- Extra cushioning
- Regular fit

ADDITIONAL IMAGES

SLIP-RESISTANT SPILL GUARD TRIPGUARD WATER RESISTANT

THE NUMBER 1 CHOICE FOR CREWS
#1 CHOICE

Old School Low-Rider IV

355 grams [based on size 42]

36111 Black
2.5-12 (35-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable insole
- Extra cushioning
- Regular fit

ADDITIONAL IMAGES

Ollie II

210 grams [based on size 38]

36106 Black
2.5-9 (35-43)

- Superior SFC slip-resistant outsole
- Water resistant
- Leather upper
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

KITCHEN CASUALS

NEW! Triston II

EN ISO 20347:2012 (OB E SRC)
320 grams [based on size 38]

80047 Black
3-12 (36-47)

80048 White
3-12 (36-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant microfiber upper
- Removable EVA cushioned insole
- Regular fit
- Available in composite safety toe see page 28

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Cater II

EN ISO 20347:2012 (OB E SRC)
410 grams [based on size 38]

Improved Upper Material

40187 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Saloon II

EN ISO 20347:2012 (OB E SRC)
364 grams [based on size 38]

Improved Upper Material

47808 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SLIP-RESISTANT | SPILL GUARD | TRIPGUARD | WATER RESISTANT | OB CERTIFIED

CE CERTIFIED STYLES

Maven

EN ISO 20347:2012 [OB E SRC]
355 grams [based on size 38]

M30390 Black
2.5-9 (35-43)

- Superior slip-resistant traction by Shoes For Crews®
- 100% Vegan
- Removable comfortable PU gel insole
- Water-resistant, waxed canvas upper
- Elastic goring for a slip-on style
- Optional laces for a classic sneaker look
- Three-hole arch ventilation for breathability
- Easy to clean and treated with 3M Scotchgard™ Protector

VIEW CERTIFICATE

ADDITIONAL IMAGES

Mavi

EN ISO 20347:2012 [OB E SRC]*
360 grams [based on size 38]

M31174 Black
2.5-9 (35-43)

- Superior slip-resistant traction by Shoes For Crews®
- Heel counter for support and stability
- Removable comfortable PU gel insole
- Elastic goring for a slip-on style
- Optional laces for a classic sneaker look
- Three-hole arch ventilation for breathability
- Water-resistant, full-grain leather upper

VIEW CERTIFICATE

ADDITIONAL IMAGES

BEST DRESSED

We're on Trustpilot
Share your experience

Rated Excellent
Trustpilot

Reese

EN ISO 20347:2012 (OB E SRC) • 195 grams [based on size 38]

57160 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Madison III

EN ISO 20347:2012 (OB E SRC) • 220 grams [based on size 38] • 2.5cm heel

57889 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SLIP-RESISTANT | TRIPGUARD | WATER RESISTANT | OB CERTIFIED

Mary Jane II

EN ISO 20347:2012 (OB E SRC) • 290 grams [based on size 38]

3002 Black
2.5-9.5 (35-44)

- Superior SFC slip-resistant outsole
- Water resistant
- Leather upper
- Comfort fitting with adjustable strap fastener
- Wide fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

THE NUMBER 1 CHOICE FOR MANAGERS #1 CHOICE

CE CERTIFIED STYLES

Envy III

EN ISO 20347:2012 (OB E SRC) • 255 grams [based on size 38] • 3.8cm heel

52263 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Willa

EN ISO 20347:2012 (OB E SRC) • 290 grams [based on size 38] • 3.8cm heel

55452 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Elva

310 grams [based on size 38] • 5.7cm heel

52118 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Slim fit

ADDITIONAL IMAGES

Jenni

200 grams [based on size 38]

3616 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole
- Water resistant leather upper
- Cushioned insole
- Regular fit

ADDITIONAL IMAGES

Marla

270 grams [based on size 38] • 4.4cm heel

57487 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Additional comfortable cushioning
- Removable cushioned insole
- Slim fit

ADDITIONAL IMAGES

Kora

305 grams [based on size 38] • 2.5cm heel

52152 Black
2.5-8 (35-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit

ADDITIONAL IMAGES

SLIP-RESISTANT | SPILL GUARD | TRIPGUARD | WATER RESISTANT | OB CERTIFIED

BONNIE WOMEN'S COMPOSITE SAFETY TOE KEEPS YOU COMFORTABLE & SAFE

Evie

EN ISO 20345:2011 (S1) • 385 grams [based on size 38]

75810 Black
3-8 (36-42)

75001 White
3-8 (36-42)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Composite toe - 200 joule
- Removable cushioned insole
- Clog resistant outsole
- Regular fit

VIEW CERTIFICATE **ADDITIONAL IMAGES**

CE CERTIFIED STYLES

Bonnie

EN ISO 20345:2011 (S3) • 450 grams [based on size 38]

78393 Black
3-8 (36-42)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof microfibre upper
- Composite toe - 200 joules
- Removable cushioned insole
- Puncture and clog resistant
- Black laces included
- Regular fit

VIEW CERTIFICATE **ADDITIONAL IMAGES**

FOR MORE SAFETY STYLES SEE PAGES 28-35

Crewguard® for Men and Women

SFC MightyGrip® Slip-resistant Outsole
Provides Maximum Slip & Fall Protection

CE CERTIFIED STYLES

Safety Crewguard®

EN ISO 20345:2011

Style: 53

VIEW CERTIFICATE

Stretch Crewguard®

EN ISO 20347:2012

Style: G7014

VIEW CERTIFICATE

CrewGuard® Sizes	XXS	XS	S	S+	M	M+	L	XL	XXL
STYLE 53: Men's	-	35-37	37-38	39-41	41-42	43-44	44-45	46-48	49-51
STYLE 53: Women's	32-34	35-38	38-39	40-42	42-43	44-45	-	-	-
STYLE G7014 Men/Women	-	-	34-37	-	38-41	-	42-45	46-48	-

MIGHTYMAT!®

We have you covered

SLIP-PROOF ANY FLOOR!

When employees have both feet safely on the mat, they work faster and more efficiently. With MightyMat!® slip-resistant floor mats, any greasy, slippery walkway becomes a safe, high-traction surface.

MIGHTYMAT CLASSIC

Style 20:
Dimensions 91.44cm X 152.40 cm
Thickness 6.5 mm

Our patented slip-resistant base keeps mat in place



Drainage slots direct liquids away from surface

All-grit, high-traction, slip-resistant surface



MIGHTYMAT MAX II

Style 40:
Dimensions 91.44cm X 121.92 cm
Thickness 14.8 mm

Anti-fatigue nodules add cushioning

Cross section of cushioned anti-fatigue layer

Our patented slip-resistant base keeps mat in place



SFC Comfort Insole

N3411 Unisex: Blue
4-15 (37-50)

SFC Comfort Insole with Gel

N2114 Unisex: Blue
4-13 (37-48)

Gel pads in heel and forefoot for increased cushioning and shock absorption

THE SCIENCE OF KEEPING SKIN DRY

MOISTURE IS THE ENEMY. Drymax® socks feature an anti-blister system: exceptional 3D fit; semless insides; instep-hugging arch band; dry skin because Drymax® socks stay dry.

STAY DRY. STAY SAFE. Drymax® socks have top and/or bottom air vents, use dense padding for comfort and are infused with antimicrobial fibers to fight odour.

SFC Crew Sock

Unisex: S1810 Black (1 pair per package)
S, M, L, XL
- Dual layer breathable mesh
- Anti-slip wedge
- Vented arch band

SFC No-Show Sock

Unisex: S1297 Black (1 pair per package)
S, M, L, XL
- Dual layer breathable mesh
- Anti-slip wedge
- Vented arch band

WORKPLACE ATHLETE

Freestyle II

335 grams [based on size 42]

38140 Black
5-13 (38-48)

32835 Black/White
5-13 (38-48)

THE NUMBER 1 CHOICE FOR WAITERS
#1 CHOICE

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Evolution II

380 grams [based on size 42]

21211 Black
5-15 (38-50)

28289 White
5-14 (38-49)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Extra cushioning
- Regular fit

ADDITIONAL IMAGES

SLIP-RESISTANT TRIPGUARD WATER RESISTANT

"Really happy with the shoes. Great service and fast delivery. Quality and comfort are great."

By Michael Guy

Trustpilot

Condor

EN ISO 20347:2012 (OB E SRC) • 435 grams [based on size 42]

28777 Black
5-13 (38-48)

29166 White
5-12 (38-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Nitro II

EN ISO 20347:2012 (OB E SRC) • 370 grams [based on size 42]

36097 Black
6-12 (39-47)

- Superior SFC slip-resistant outsole with TripGuard
- Microfibre upper
- Water resistant
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Endurance II

280 grams [based on size 42]

22782 Black
6-15 (39-50)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight
- Regular fit

ADDITIONAL IMAGES

Grayson

255 grams [based on size 42]

36479 Black
5-13 (38-48)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, lightweight upper
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Bridgetown

295 grams [based on size 42]

24320 Grey/Citrus LIMITED EDITION
5-11 (38-46)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight EVA midsole with extra cushioning
- Regular Fit

ADDITIONAL IMAGES

SLIP-RESISTANT | TRIPGUARD | WATER RESISTANT | SPILL GUARD | OB SRC OB CERTIFIED

Zinc

EN ISO 20347:2012 (OB E SRC) • 270 grams [based on size 42]

66064 Black
3-14 (37-48)

62138 White
3-13 (37-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Wide fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

ALL EVA CLOGS ARE NOW CE CERTIFIED

Radium

EN ISO 20347:2012 (OB E SRC) • 250 grams [based on size 42]

THE NUMBER 1 CHOICE FOR KITCHEN STAFF
#1 CHOICE

69578 Black
3-13 (37-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Removable cushioned insole
- Wide fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

COOL CASUAL CLASSICS

Delray

430 grams [based on size 42]

38649 Black
2.5-12 (35-47)

- Superior SFC slip-resistant outsole
- Water-resistant Leather upper
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Improved Upper Material

Ollie II

325 grams [based on size 42]

34257 Black
5-12 (38-47)

- Superior SFC slip-resistant outsole
- Water resistant
- Leather upper
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Old School Low-Rider IV

375 grams [based on size 42]

Improved Upper Material

THE NUMBER 1 CHOICE FOR CREWS
#1 CHOICE

36111 Black
2.5-12 (35-47)

38960 White
3-12 (36-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable insole
- Extra cushioning
- Regular fit

ADDITIONAL IMAGES

Improved Upper Material

"Second pair I've had in 3 years, absolutely brilliant, comfy, excellent grip and wear very well."
By Samantha Benson

Trustpilot

SLIP-RESISTANT | SPILL GUARD | TRIPGUARD | WATER RESISTANT | OB SRC OB CERTIFIED

CE CERTIFIED STYLES

Grind

EN ISO 20347:2012 [OB E SRC]
445 grams [based on size 42]

M31165 Black
6-12 (39-47)

- Superior slip-resistant traction by Shoes For Crews®
- 100% Vegan
- Removable comfort PU Gel insole
- Water-resistant, waxed canvas upper
- Elastic goring for a slip-on style
- Optional laces for a classic look
- Three-hole arch ventilation for breathability
- Easy to clean and treated with 3M Scotchgard™ Protector

VIEW CERTIFICATE

ADDITIONAL IMAGES

Finn

EN ISO 20347:2012 [OB E SRC]
460 grams [based on size 42]

M11057 Black
6-12 (39-47)

- Superior slip-resistant traction by Shoes For Crews®
- Heel counter for support and stability
- Removable comfort PU Gel insole
- Elastic goring for a slip-on style
- Optional laces for a classic sneaker look
- Three-hole arch ventilation for breathability
- Water-resistant, full-grain leather upper

VIEW CERTIFICATE

ADDITIONAL IMAGES

KITCHEN CASUALS

NEW! Triston II

EN ISO 20347:2012 (OB E SRC)
335 grams [based on size 42]

80047 Black
3-12 (36-47)

80048 White
3-12 (36-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant microfiber upper
- Removable EVA cushioned insole
- Regular fit
- Available in composite safety toe see page 28

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Cater II

EN ISO 20347:2012 (OB E SRC)
410 grams [based on size 42]

Improved Upper Material

41439 Black
5-15 (38-50)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Saloon II

EN ISO 20347:2012 (OB E SRC)
451 grams [based on size 42]

Improved Upper Material

43261 Black
5-15 (38-50)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SLIP-RESISTANT | SPILL GUARD | TRIPGUARD | WATER RESISTANT | OB CERTIFIED

We're on Trustpilot
Share your experience

Rated Excellent
Trustpilot

Statesman

425 grams [based on size 42]

1202 Black
6-12 (39-47)

- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Senator

460 grams [based on size 42]

1201 Black
5-12 (38-47)

1211 Brown
6-12 (39-47)

- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

ADDITIONAL IMAGES

Cambridge II

EN ISO 20347:2012 (OB E SRC) • 460 grams [based on size 42]

20321 Black
5-13.5 (38-49)

- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

THE NUMBER 1 CHOICE FOR MANAGERS
#1 CHOICE

CE CERTIFIED STYLES

Ambassador

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 42]

20331 Black
6-12 (39-47)

- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Slim fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SLIP-RESISTANT TRIPGUARD WATER RESISTANT OB CERTIFIED

Executive Wing Tip III

EN ISO 20347:2012 (OB E SRC) • 460 grams [based on size 42]

20301 Black
5-12 (38-47)

- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Aristocrat III

EN ISO 20347:2012 (OB E SRC) • 440 grams [based on size 42]

2031 Black
5-12 (38-47)

- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SAFETY FIRST

NEW! Triston II SB

EN ISO 20345:2011 (SB SRC)
415 grams [based on size 42]

Unisex: 80045 Black 3-12 (36-47)
Unisex: 80046 White 3-12 (36-47)

- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant microfiber upper
- Composite toe - 200 joules
- Removable EVA cushioned insole
- Regular fit

VIEW CERTIFICATE
ADDITIONAL IMAGES

Stratton III - Waterproof Occupational Boot

EN ISO 20347:2012 (O2) • 584 grams [based on size 42]

CE CERTIFIED STYLES

Unisex: 64666 Black 3-13 (36-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof Leather upper
- No safety toe cap
- Removable cushioned insole
- Regular fit
- Clog-resistant

VIEW CERTIFICATE
ADDITIONAL IMAGES

NEW!
CE Certified Boots Available in Composite Safety Toe or Occupational - without safety toe

Engineer III

EN ISO 20345:2011 (S2) • 718 grams [based on size 42]

Unisex: 76736 Black 3-13 (36-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof Leather upper
- Composite toe - 200 joules
- Removable cushioned insole
- Regular fit
- Clog-resistant

VIEW CERTIFICATE
ADDITIONAL IMAGES

SLIP-RESISTANT | WATERPROOF | PUNCTURE RESISTANT | STEEL TOE | COMPOSITE TOE | CE CERTIFIED

Tillman III

EN ISO 20345:2011 (S2) • 692 grams [based on size 42]

Unisex: 79494 Black 3-13 (36-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof Leather upper
- Composite toe - 200 joules
- Removable cushioned insole
- Regular fit
- Clog-resistant

VIEW CERTIFICATE ADDITIONAL IMAGES

Clyde

EN ISO 20345:2011 (S3) • 555 grams [based on size 42]

Men's: 73403 Black 5-12 (38-47)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof microfibre upper
- Composite toe - 200 joules
- Puncture and clog-resistant
- Removable cushioned insole
- Black laces included
- Regular fit

VIEW CERTIFICATE ADDITIONAL IMAGES

Cambridge ST

EN ISO 20345:2011 (S2) • 610 grams [based on size 42]

Men's: 5215 Black 5-13 (38-48)

- Superior SFC slip-resistant outsole
- Waterproof microfibre upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE ADDITIONAL IMAGES

Executive Wing Tip ST

EN ISO 20345:2011 (S2) • 590 grams [based on size 42]

Men's: 52181 Black 5-12 (38-47)

THE NUMBER 1 CHOICE FOR MANAGERS #1 CHOICE

- Superior SFC slip-resistant outsole
- Waterproof leather upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE ADDITIONAL IMAGES

SAFETY JOGGER
TRACTION BY SHOES FOR CREWS

THE SAFETY JOGGER RANGE FEATURES HIGH-PERFORMANCE TRACTION BY SHOES FOR CREWS

Roma81

EN ISO 20345:2011 (S3)
695 grams [based on size 41]

Unisex: 74785 Black 2.5-13 (35-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Dolce81

EN ISO 20345:2011 (S3)
650 grams [based on size 41]

Unisex: 76236 Black 2.5-13 (35-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

ORDER TODAY! www.sfceurope.com

SLIP-RESISTANT | WATERPROOF | PUNCTURE RESISTANT | STEEL TOE | COMPOSITE TOE | CE CERTIFIED

THE NUMBER 1 CHOICE FOR CHEFS
#1 CHOICE

Gusto81

EN ISO 20345:2011 (S3)
650 grams [based on size 41]

Unisex: 73695 White 2.5-13 (35-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Volluto81

EN ISO 20345:2011 (S3)
695 grams [based on size 41]

Unisex: 74518 White 2.5-13 (35-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

Lungo81

EN ISO 20345:2011 (S3)
725 grams [based on size 41]

Unisex: 75966 White 2.5-13 (35-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

THE IDEAL SAFETY SHOES FOR KITCHENS, BAKERIES AND FACTORIES.

SAFETY JOGGER
TRACTION BY SHOES FOR CREWS

THE SAFETY JOGGER RANGE FEATURES HIGH-PERFORMANCE TRACTION BY SHOES FOR CREWS

Rocket81

EN ISO 20345:2011 (S1P)
590 grams [based on size 42]

Unisex: 74811 Black 5-13 (38-48)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant coated leather upper
- Composite toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

CE CERTIFIED STYLES

Advance81

EN ISO 20345:2011 (S1P)
691 grams [based on size 41]

Unisex: 71056 Black 4-13 (37-48)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SLIP-RESISTANT | WATERPROOF | PUNCTURE RESISTANT | STEEL TOE | COMPOSITE TOE | CE CERTIFIED

CE CERTIFIED STYLES

Elevate81

EN ISO 20345:2011 (S1P)
680 grams [based on size 41]

Unisex: 70482 Black 4-13 (37-48)

- Superior SFC slip-resistant outsole with TripGuard
- Water resistant coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

X1100N81

EN ISO 20345:2011 (S3)
729 grams [based on size 41]

Unisex: 73924 Black 3.5-13 (36-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

X1110S81

EN ISO 20345:2011 (S3)
690 grams [based on size 41]

Unisex: 74670 Black 3.5-13 (36-48)

- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SAFETY WELLINGTONS

Bastion

EN ISO 20345:2011 (S4) • 1.2kg [based on size 42]

76690 White
4-12 (37-47)

70557 Green
4-12 (37-47)

CE S4

- SRC slip-resistant PVC outsole
- Waterproof PVC upper
- Steel toe - 200 joules
- Regular fit

VIEW CERTIFICATE **ADDITIONAL IMAGES**

CE CERTIFIED STYLES

Guardian IV

EN ISO 20345:2011 (S4) • 1kg [based on size 42]

2017 White
4-12 (37-47)

2018 Green
4-12 (37-47)

CE S4

- Superior SFC slip-resistant outsole
- Waterproof PVC upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE **ADDITIONAL IMAGES**

THE NUMBER 1 CHOICE FOR BUTCHERS
#1 CHOICE

SLIP-RESISTANT SPILL GUARD TRIPGUARD WATER RESISTANT

Sentinel

EN ISO 20345:2011 (S4) • 1kg [based on size 42]

2010 White	2011 Green	2012 Blue	2013 Red	2014 Yellow
4-11 (37-46)	4-11 (37-46)	4-11 (37-46)	4-11 (37-46)	4-11 (37-46)

CE CERTIFIED STYLES

- Superior SFC slip-resistant outsole
- Waterproof PU upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit

VIEW CERTIFICATE

ADDITIONAL IMAGES

SHOES FOR CREWS

THE SHOE THAT GRIPS®

We're on Trustpilot
Share your experience

Rated Excellent
Trustpilot

SHOES FOR CREWS SRC RESULTS GREATLY EXCEED INDUSTRY STANDARDS



Slip Resistance Test EN ISO 13287:2012, performed by TUV Rheinland LGA Products GmbH in Leipzig, Germany during January 2017 * On a scale where 0.0 is the absence of friction and 1.0 is very high friction (e.g. dry carpet), SFC rated .63 – more than tripling the .18 minimum standard. All SFC shoes use the Shoes For Crews patented slip-resistant outsole. Product tested: Bridgetown 28740.